



### 20 Days Delivery Guarantee

WIEDICHE, II VC.

Patient Name Order No.


**Date Measured** 

Measured by Telephone


Clinic / Hospital E-mail

### Letters (Sleeves & Gauntlets)

- A. 3" from wrist (O)
- B. 6" from wrist (O)
- C. Elbow
- D. Halfway between C and E
- E. Axilla
- F. Palm at web of thumb
- G. Palm at base of fingers
- H. Between thumb joints
- O. Wrist, ahead of wrist bone toward hand



Optional Shoulder Strap Measurements (1, 2 and 3)




### **SLEEVES**

LEFT					RIGHT				
	Girth	Length		Girth		Length			
Е		O to E		Е		O to E			
D		O to D		D		O to D			
С		O to C		С		O to C			
В		O to B	6" (15.2 cm)	В		O to B	6" (15.2 cm)		
Α		O to A	3" (7.6 cm)	Α		O to A	3" (7.6 cm)		
0			0						

## **GAUNTLETS** □ Separate □ One Piece with Sleeve

	LEFT				RIGHT			
	Girth	Length		Girth		Length		
F		O to F		F		O to F		
G		O to G		G		O to G		
Н				Н				
0				0				

# Form F-036 IMF - for Use Without Paper Tapes



Please refer to our current price list for a description of these items

#### ☐ HOTLINE SERVICE

(Guaranteed delivery in 4-5 business days, or less) Additional Cost

### Allergies:

### **OPTIONAL SHOULDER STRAP MEASURMENTS:** (See diagram)

- Length from end of last measurement to base of neck, with arm at side (same side as sleeve or gauntlet)
- 2. Waist Circumference
- **3. Diagonal Length** for Shoulder Flap with retaining strap

### **OPTIONS & EXTRAS:**

- **Zipper:** □ Lateral (Outside) (or) □ Medial (Inside) (or) □ Posterior (Top)
- Garment Color No:
- Elbow Lining: ☐ Inside (or) ☐ Full (or) ☐ Outside
- Strap:
  - ☐ Worn to opposite axilla (or)
  - ☐ Adjustable, axilla to waist (or)
  - ☐ Two piece, with separate belt
- Flex/Contracture Seam: □ Elbow
- riex/contracture Seam. Libow
- Elastic Band: Regular □ 1" □ 2" (or)
  Silicone □ 1" □ 2"

**DIAGNOSIS:** (Must be indicated to obtain proper counter-pressure)

- ☐ 22-28 mm Hg Burns
- □ 25-30 mm Hg Lymphedema Mild
- □ 30-35 mm Hg Lymphedema Moderate
- □ 35-40 mm Hg Lymphedema Severe
- ☐ Check this box if there are instructions on other side