TREATMENT PROTOCOL FOR BREAST OEDEMA



Name:	Date:	
Date of Birth:		

Number:

\checkmark	Time	Wavelength	Average Power Desnity	Pulse Frequency	Total Mins					
THOR 104	60 Seconds	56 x 660nm 48 x 850nm	50mW/cm ²	2.5 Hz						
Rian Corp	60 Seconds	1 x 904nm	5 mW/cm ²	5 KHz						
Treatment Progra	Treatment Program 🗸									
	Compression/	MLD	SLD							
MLLB	Cellona	Padding	Short Stretch C	ohesive Othe	er					
KEY Scars: Oedema: XXXXX Laser Points: Consistered Image: Constructure Image: Con										
DATE MINU	TES DOSE	DATE MIN	IUTES DOSE D	ATE MINUTES	DOSE					

F0053

© Haddenham Healthcare Ltd. All Rights Reserved. e-mail: sales@hadhealth.com website: www.hadhealth.com

	Day 1 (baseline)	Day 3 (end of week 1)	Day 6 (end of week 2)	Day 9 (end of week 3)	Day 13 (end of weekly sessions)	Day 15 (end of fortnightly sessions)	Day 17 (on completion of monthly sessions)
Date							
Shrug							
Both Arms Up							
Hands to back of neck							
Hands behind back							
Both arms out to side							
Tissue for Quadrant 1							
Tissue for Quadrant 2							
Tissue for Quadrant 3							
Tissue for Quadrant 4							
Sensation							
Pain							
Comfort Level							
Colour							
Scars							
Oedema							
MLD Response							

Comments

Tissues	0= Normal, 1= soft/non pitting, 2 = soft/ pitting, 3= fatty/Doughy, 4= Firm/ non pitting 5= Firm/Dense, 6= Firm/Woody
Skin	1. Intact, 2 Dry, 3 Fragile, 4 Rash/Redness, 5 Taut/Shiny, 6 Broken/Ulcerated, 7 warm/hot, 8 Infected, 9 Hyperkeratosis, 10 papillomatosis/severe
assessment	
Pain	Using a scale of 1 to 10, 1 being no discomfort to 10 being the worst
Comfort	0 I feel Ok, 1 I feel slightly better, 3 I feel better, 4 I feel a lot better
Colour	Using a subjective measurement state if skin colour is not normal on the affected area and state yes or no to indicate improvement. Photographs to assess are useful
Scar	Using subjective measurement to indicate improvements by either stating yes or no, comments from patient and clinician can be added in the comments section.
Oedema reduction	Using either tissue dielectric constant (Moisture Meter D Compact) or Bodystat Quadscan as Gold standard to measure oedema reduction in midline oede- ma. For arm and leg oedema Limb Volume Measurements should be documented
MLD response	0= MLD not part of treatment plan 1 = responded as expected, 2=an improved response to MLD, 3= a quicker response from MLD, 4= a great improve- ment in MLD response
	Please state in the comments box if MLD response was better with the inclusion of LLLT if patient was previously treated without LLLT

Good = 1, Fair = 2, Poor= 3, Unable to Move = 4 or percentage achieved

	Good		Fair		Poor		Unable to Move	
Shrug		No obvious difference in posture/movement		Slight difference		Marked assymetry		No movement
Both arms up		Full movement - same on both sides		Cannot raise above ear		Cannot raise above chin		Cannot reach chin
Hands to back of neck		Achieved		Back of head only		Ear only		Cannot touch at all
Hands behind back		Achieved		Waist level only		Sacrum level		Unable to take hand behind body
Both arms out to side		Abduction achieved at shoulder height		Only to waist height		Only to hip height		Unable to raise arms